

FSA_Applicati onSubmissi on_SL_1.0.1.xsd

```

<?xml version="1.0" encoding="UTF-8"?>
<! -- edited with XMLSPY v5 rel. 2 U (http://www.xmlspy.com) by Nakia D Leggett
  (ProQuire LLC) -->
<xss: schema xmlns:xss="http://www.w3.org/2001/XMLSchema"
elementFormDefault="qualified" attributeFormDefault="unqualified">
  <xss: import schemaLocation="FSA_Applicati onSubmissi on_CC_1.0.1.xsd"/>
  <xss: complexType name="FinancialDataType">
    <xss: sequence>
      <xss: element name="IncomeData">
        <xss: complexType>
          <xss: complexContent>
            <xss: restriction base="IncomeDataType">
              <xss: sequence>
                <xss: element name="TaxReturnStatusCode"
type="TaxReturnStatusCodeType"/>
                <xss: element name="TaxFormTypeCode"
type="TaxFormTypeCodeType"/>
                <xss: element name="Form1040AEZEligibleCode"
type="Form1040AEZEligibleCodeType"/>
                <xss: element name="AdjustedGrossIncome"
type="AdjustedGrossIncomeType"/>
                <xss: element name="IncomeTaxPaid"
type="IncomeTaxPaidType"/>
                <xss: element name="ExemptionsClaimed"
type="ExemptionsClaimedType"/>
                <xss: element name="StudentEarnedIncome"
type="StudentEarnedIncomeType"/>
                <xss: element name="SpouseEarnedIncome"
type="SpouseEarnedIncomeType"/>
                <xss: element name="FathersEarnedIncome"
type="FathersEarnedIncomeType" minOccurs="0" maxOccurs="0"/>
                <xss: element name="MothersEarnedIncome"
type="MothersEarnedIncomeType" minOccurs="0" maxOccurs="0"/>
                <xss: element name="WorksheetA"
type="WorksheetAType"/>
                <xss: element name="WorksheetB"
type="WorksheetBType"/>
                <xss: element name="WorksheetC"
type="WorksheetCType"/>
                </xss: sequence>
              </xss: restriction>
            </xss: complexContent>
          </xss: complexType>
        </xss: element>
        <xss: element name="AssetData" type="AssetDataType"/>
        <xss: element name="VeteransBenefits" type="VeteransBenefitsType"/>
      </xss: sequence>
    </xss: complexType>
    <xss: complexType name="DependencyQuestionnaireResponsesType">
      <xss: sequence>
        <xss: element name="BornBeforeCutoffIndicator"
type="BornBeforeCutoffIndicatorType" nullable="true"/>
        <xss: element name="MastersOrDoctorateIndicator"
type="MastersOrDoctorateIndicatorType" nullable="true"/>
        <xss: element name="MarriedIndicator" type="MarriedIndicatorType"
nullable="true"/>
        <xss: element name="SupportsChildIndicator"
type="SupportsChildIndicatorType" nullable="true"/>
        <xss: element name="LegalDependentsIndicator"
type="LegalDependentsIndicatorType" nullable="true"/>
        <xss: element name="OrphanWardOfCourtIndicator"
type="OrphanWardOfCourtIndicatorType" nullable="true"/>
        <xss: element name="VeteranIndicator" type="VeteranIndicatorType"
nullable="true"/>
      </xss: sequence>
    </xss: complexType>
  </xss: sequence>
</xss: complexType>

```

```

FSA_ApplicantInformationSubmission_SL_1.0.1.xsd
</xs:complExType>
<xs:complExType name="Questi onnai reResponsesType">
    <xs:sequence>
        <xs:element name="SelectedServiceMale">
            <xs:type name="SelectedServiceMaleType" nillable="true"/>
        <xs:element name="SelectedServiceFemale">
            <xs:type name="SelectedServiceFemaleType" nillable="true"/>
        <xs:element name="DegreeOrCertificateCode">
            <xs:type name="DegreeOrCertificateCodeType" nillable="true"/>
        <xs:element name="StudentLevelCode" type="StudentLevelCodeType">
            <xs:type name="StudentLevelCodeType" nillable="true"/>
        <xs:element name="EnrollmentStatusCode">
            <xs:type name="EnrollmentStatusCodeType" nillable="true"/>
        <xs:element name="HighSchoolDiplomaOrGED">
            <xs:type name="HighSchoolDiplomaOrGEDType" nillable="true"/>
        <xs:element name="FirstBachelorsByCutoff">
            <xs:type name="FirstBachelorsByCutoffType" nillable="true"/>
        <xs:element name="InterestedInStudentLoan">
            <xs:type name="InterestedInStudentLoanType" nillable="true"/>
        <xs:element name="InterestedInWorkStudy">
            <xs:type name="InterestedInWorkStudyType" nillable="true"/>
        <xs:element name="DrugConvictionCode">
            <xs:type name="DrugConvictionCodeType" />
        <xs:element name="DependencyData">
            <xs:type name="DependencyResponseType" />
        </xs:sequence>
    </xs:complExType>
    <xs:complExType name="AdditionalStudentDataType">
        <xs:sequence>
            <xs:element name="FinancialData" type="FinancialDataType"/>
            <xs:element name="Questi onnai reResponses" type="Questi onnai reResponsesType" />
        </xs:sequence>
    </xs:complExType>
    <xs:complExType name="ParentInformationType">
        <xs:sequence>
            <xs:element name="PersonalIdentifiers">
                <xs:complExType>
                    <xs:complExContent>
                        <xs:restriction base="PersonalIdentifiersType">
                            <xs:sequence>
                                <xs:element name="SSN" type="SSNTYPE" nillable="true"/>
                                <xs:element name="DriverLicense" type="DriverLicenseType" maxOccurs="0" minOccurs="0"/>
                            </xs:sequence>
                        </xs:restriction>
                    </xs:complExContent>
                </xs:complExType>
            </xs:element>
            <xs:element name="Birth" type="BirthType" />
            <xs:element name="Name">
                <xs:complExType>
                    <xs:complExContent>
                        <xs:restriction base="NameWrapperType">
                            <xs:sequence>
                                <xs:element name="FirstName" minOccurs="0" maxOccurs="1" nillable="true"/>
                                <xs:element name="Initial" />
                                <xs:element name="MiddleName" minOccurs="0" maxOccurs="1" nillable="true"/>
                                <xs:element name="LastName" nillable="true"/>
                            </xs:sequence>
                        </xs:restriction>
                    </xs:complExContent>
                </xs:complExType>
            </xs:element>
        </xs:sequence>
    </xs:complExType>
</xs:sequence>
</xs:complExType>

```

```

        FSA_ApplicantInformationSubmission_SL_1.0.1.xsd
        </xs: complextYPE>
    </xs: element>
    <xs: element name="Contacts">
        <xs: complextYPE>
            <xs: complextContent>
                <xs: restriction base="ContactsType">
                    <xs: sequence>
                        <xs: element name="PermanentAddress"
minOccurs="0" maxOccurs="0"/>
                        <xs: element name="PermanentPhoneNumber"
minOccurs="0" maxOccurs="0"/>
                        <xs: element name="Email Address"
nilable="true"/>
                    </xs: sequence>
                </xs: restriction>
            </xs: complextContent>
        </xs: complextYPE>
    </xs: element>
    <xs: element name="EducationLevelCode" nilable="true"/>
</xs: sequence>
</xs: complextYPE>
<xs: complextYPE name="ParentFinancialDataType">
    <xs: sequence>
        <xs: element name="IncomeData">
            <xs: complextYPE>
                <xs: complextContent>
                    <xs: restriction base="IncomeDataType">
                        <xs: sequence>
                            <xs: element name="TaxReturnStatusCode"
type="TaxReturnStatusCodeType" nilable="true"/>
                            <xs: element name="TaxFormTypeCode"
type="TaxFormTypeCodeType" nilable="true"/>
                            <xs: element name="Form1040AEZEligibleCode"
type="Form1040AEZEligibleCodeType" nilable="true"/>
                            <xs: element name="AdjustedGrossIncome"
type="AdjustedGrossIncomeType" nilable="true"/>
                            <xs: element name="IncomeTaxPaid"
type="IncomeTaxPaidType" nilable="true"/>
                            <xs: element name="ExemptionsClaimed"
type="ExemptionsClaimedType" nilable="true"/>
                            <xs: element name="StudentEarnedIncome"
type="StudentEarnedIncomeType" minOccurs="0" maxOccurs="0"/>
                            <xs: element name="SpouseEarnedIncome"
type="SpouseEarnedIncomeType" minOccurs="0" maxOccurs="0"/>
                            <xs: element name="FathersEarnedIncome"
type="FathersEarnedIncomeType" nilable="true"/>
                            <xs: element name="MothersEarnedIncome"
type="MothersEarnedIncomeType" nilable="true"/>
                            <xs: element name="WorksheetA"
type="WorksheetAType" nilable="true"/>
                            <xs: element name="WorksheetB"
type="WorksheetBType" nilable="true"/>
                            <xs: element name="WorksheetC"
type="WorksheetCType" nilable="true"/>
                        </xs: sequence>
                    </xs: restriction>
                </xs: complextContent>
            </xs: complextYPE>
        </xs: element>
        <xs: element name="AssetData" type="AssetDataType"/>
    </xs: sequence>
</xs: complextYPE>
<xs: complextYPE name="ParentDataType">
    <xs: sequence>
        <xs: element name="FatherStepfather" type="ParentInformationType"/>
        <xs: element name="MotherStepmother" type="ParentInformationType"/>

```

```

FSA_Applicati onSubmi ssi on_SL_1.0.1.xsd
<xs: element name="Mari tal Status" type="Mari tal StatusWrapperType"/>
<xs: element name="Resi dencyData" type="Resi dencyDataType"/>
<xs: element name="Househol dData" type="Househol dDataType"/>
<xs: element name="ParentFi nanci al Data"
type="ParentFi nanci al DataType"/>
    </xs: sequence>
</xs: compl exType>
<xs: compl exType name="Notifi cati onSchool Type">
    <xs: sequence>
        <xs: element name="School " type="Federal School Type"
nilabl e="true"/>
        <xs: element name="Housi ngCode" type="Housi ngCodeType"
nilabl e="true"/>
    </xs: sequence>
    <xs: attribute name="Number">
        <xs: simpleType>
            <xs: restriction base="xs: integer">
                <xs: minInclusive value="1"/>
                <xs: maxInclusive value="6"/>
                <xs: totalDigits value="1"/>
                <xs: fractionDigits value="0"/>
            </xs: restriction>
        </xs: simpleType>
    </xs: attribute>
</xs: compl exType>
<xs: compl exType name="Professi onal JudgementType">
    <xs: sequence>
        <xs: element name="DependencyOverri deCode"
type="DependencyOverri deCodeType"/>
        <xs: element name="EFCAdj ustmentCode"
type="EFCAdj ustmentCodeType"/>
        <xs: element name="School " type="Federal School Type"/>
    </xs: sequence>
</xs: compl exType>
<xs: compl exType name="Rej ectOverri desType">
    <xs: sequence>
        <xs: element name="Rej ectOverri deCode"
type="Rej ectOverri deCodeType" maxOccurs="5"/>
    </xs: sequence>
</xs: compl exType>
<xs: compl exType name="Assumpti onOverri desType">
    <xs: sequence>
        <xs: element name="Assumpti onOverri deCode"
type="Assumpti onOverri deCodeType" maxOccurs="6"/>
    </xs: sequence>
</xs: compl exType>
<xs: compl exType name="Ai dAdmi ni stratorDataType">
    <xs: sequence>
        <xs: element name="Professi onal Judgement"
type="Professi onal JudgementType"/>
        <xs: element name="Rej ectOverri des" type="Rej ectOverri desType"
minOccurs="0"/>
        <xs: element name="Assumpti onOverri des"
type="Assumpti onOverri desType" minOccurs="0"/>
    </xs: sequence>
</xs: compl exType>
<xs: compl exType name="Si gnatureDataType">
    <xs: sequence>
        <xs: element name="Si gnatureSourceCode"
type="Si gnatureSourceType"/>
        <xs: element name="Si gnatureDate" type="Si gnatureDateType"/>
    </xs: sequence>
</xs: compl exType>
<xs: compl exType name="PreparerType">
    <xs: sequence>
        <xs: element name="SSN" type="SSNTType" nilabl e="true"/>

```

```
FSA_Applicati onSubmis sion_SL_1.0.1.xsd
<xs: element name="Empl oyersI denti fi cati onNumber"
type="Empl oyersI denti fi cati onNumberType" nullable="true"/>
    <xs: element name="Si gnatureI ndi cator"
type="Si gnatureI ndi catorType" nullable="true"/>
        </xs: sequence>
    </xs: comple xType>
</xs: schema>
```