

FSA_EligibilityDetermination_CC_1.0.1.xsd

```

<?xml version="1.0" encoding="UTF-8"?>
<! -- edited with XMLSPY v5 rel. 2 U (http://www.xmlspy.com) by Naki a D Leggett
  (ProQuire LLC) -->
<xss: schema xmlns:xss="http://www.w3.org/2001/XMLSchema"
elementFormDefault="qualified" attributeFormDefault="unqualified"
version="1.0.1">
  <xss: import schemaLocation="FSA_DataTypes_CC_1.0.1.xsd"/>
  <xss: simpleType name="NSLDSMatchCodeType">
    <xss: restriction base="xs:string">
      <xss: enumeration value="NotInDefaultOrOverpay"/>
      <xss: enumeration value="Defaultt"/>
      <xss: enumeration value="Overpayment"/>
      <xss: enumeration value="DefaulttAndOverpayment"/>
      <xss: enumeration value="MatchedNoData"/>
      <xss: enumeration value="NotSentToNSLDS"/>
    </xss: restriction>
  </xss: simpleType>
  <xss: simpleType name="NSLDSPostScreeningReasonCodeType">
    <xss: restriction base="xs:string">
      <xss: enumeration value="DefaulttAdded"/>
      <xss: enumeration value="OverpaymentAdded"/>
      <xss: enumeration value="DefaulttResolved"/>
      <xss: enumeration value="OverpaymentResolved"/>
      <xss: enumeration value="MPNStatusChange"/>
      <xss: enumeration value="LoanIntoDischarge"/>
      <xss: enumeration value="LoanOutOfDischarge"/>
      <xss: enumeration value="ClosedSchool"/>
      <xss: enumeration value="ExceededSubsidized"/>
      <xss: enumeration value="ExceededCombi ned"/>
      <xss: enumeration value="NotExceedingSubsidized"/>
      <xss: enumeration value="NotExceedingCombi ned"/>
      <xss: enumeration value="ChangeInTypeOfDischarge"/>
      <xss: enumeration value="Other"/>
    </xss: restriction>
  </xss: simpleType>
  <xss: simpleType name="SelectedServiceMatchCodeType">
    <xss: restriction base="xs:string">
      <xss: enumeration value="Configured"/>
      <xss: enumeration value="NotConfigured"/>
      <xss: enumeration value="TemporarilyExempt"/>
    </xss: restriction>
  </xss: simpleType>
  <xss: simpleType name="SelectedServiceRegistrationCodeType">
    <xss: restriction base="xs:string">
      <xss: enumeration value="Completed"/>
      <xss: enumeration value="NotCompleted"/>
      <xss: enumeration value="TemporarilyExempt"/>
    </xss: restriction>
  </xss: simpleType>
  <xss: simpleType name="DHSMatchCodeType">
    <xss: restriction base="xs:string">
      <xss: enumeration value="Configured"/>
      <xss: enumeration value="NotConfigured"/>
    </xss: restriction>
  </xss: simpleType>
  <xss: simpleType name="DHSVerificationNumberType">
    <xss: restriction base="xs:integer">
      <xss: minInclusive value="00000000000000000000000000000000"/>
      <xss: maxInclusive value="99999999999999999999999999999999"/>
      <xss: totalDigits value="15"/>
      <xss: fractionDigits value="0"/>
    </xss: restriction>
  </xss: simpleType>
  <xss: simpleType name="DHSSecondaryConfigurationCodeType">
    <xss: restriction base="xs:string">
      <xss: enumeration value="NotYetConfigured"/>
    </xss: restriction>
  </xss: simpleType>

```

```

FSA_EI_igi_bili_tyDeterminati on_CC_1.0.1.xsd
<xs: enumeration value="Pending"/>
<xs: enumeration value="NeedMoreInformation"/>
<xs: enumeration value="Configured"/>
<xs: enumeration value="NotConfigured"/>
</xs: restriction>
</xs: simpleType>
<xs: simpleType name="SSAMatchCodeType">
  <xs: restriction base="xs:string">
    <xs: enumeration value="NoMatchOnSSN"/>
    <xs: enumeration value="NoMatchOnDOB"/>
    <xs: enumeration value="NoMatchOnName"/>
    <xs: enumeration value="FullMatch"/>
    <xs: enumeration value="MatchOnDeceasedSSN"/>
  </xs: restriction>
</xs: simpleType>
<xs: simpleType name="SSACitizenStatusCodeType">
  <xs: restriction base="xs:string">
    <xs: enumeration value="Citizen"/>
    <xs: enumeration value="EligibleToWork"/>
    <xs: enumeration value="NotEligibleToWork"/>
    <xs: enumeration value="Other"/>
    <xs: enumeration value="Restricted"/>
    <xs: enumeration value="ConditionalLegality"/>
    <xs: enumeration value="UnableToVerify"/>
    <xs: enumeration value="Foreign"/>
    <xs: enumeration value="DomesticBorn"/>
  </xs: restriction>
</xs: simpleType>
<xs: simpleType name="SSADeceasedDateType">
  <xs: restriction base="xs:date"/>
</xs: simpleType>
<xs: simpleType name="VAMatchCodeType">
  <xs: restriction base="xs:string">
    <xs: enumeration value="Configured"/>
    <xs: enumeration value="DoesNotQualify"/>
    <xs: enumeration value="NotFound"/>
    <xs: enumeration value="ActiveDuty"/>
    <xs: enumeration value="NotSentToVA"/>
  </xs: restriction>
</xs: simpleType>
<xs: simpleType name="SARCIIndicatorType">
  <xs: restriction base="xs:boolean"/>
</xs: simpleType>
<xs: simpleType name="ApplicationReceiptDateType">
  <xs: restriction base="xs:date"/>
</xs: simpleType>
<xs: simpleType name="TransactionReceiptDateType">
  <xs: restriction base="xs:date"/>
</xs: simpleType>
<xs: simpleType name="ProcessedRecordTypeCodeType">
  <xs: restriction base="xs:string">
    <xs: enumeration value="InitialApplication"/>
    <xs: enumeration value="CorrectedApplication"/>
  </xs: restriction>
</xs: simpleType>
<xs: simpleType name="SystemGeneratedCodeType">
  <xs: restriction base="xs:string">
    <xs: enumeration value="DrugHoldReleased"/>
    <xs: enumeration value="SecondaryConfiguration"/>
    <xs: enumeration value="NSLDSPostScreening"/>
    <xs: enumeration value="Reprocessed"/>
  </xs: restriction>
</xs: simpleType>
<xs: simpleType name="SubsequentApplicationIndicatorType">
  <xs: restriction base="xs:boolean"/>
</xs: simpleType>

```

FSA_EI i gi bi l i tyDetermi nati on_CC_1. 0. 1. xsd

```

<xs: si mpl eType name="Correcti onSourceCodeType">
    <xs: restri cti on base="xs: string">
        <xs: enumerati on val ue="Appl i cant"/>
        <xs: enumerati on val ue="CPS"/>
        <xs: enumerati on val ue="School "/>
    </xs: restri cti on>
</xs: si mpl eType>
<xs: si mpl eType name="Correcti onTransacti onNumberType">
    <xs: restri cti on base="xs: integer">
        <xs: mi nl ncl usi ve val ue="00"/>
        <xs: maxl ncl usi ve val ue="99"/>
        <xs: total Di gi ts val ue="2"/>
        <xs: fracti onDi gi ts val ue="0"/>
    </xs: restri cti on>
</xs: si mpl eType>
<xs: si mpl eType name="Appl i cati onSourceCodeType">
    <xs: restri cti on base="xs: string">
        <xs: enumerati on val ue="El ectroni cAppl i cati on"/>
        <xs: enumerati on val ue="PaperAppl i cati on"/>
        <xs: enumerati on val ue="PaperRenewal Appl i cati on"/>
        <xs: enumerati on val ue="PaperSpani shAppl i cati on"/>
        <xs: enumerati on val ue="FAFSAWeb"/>
        <xs: enumerati on val ue="Renewal Web"/>
        <xs: enumerati on val ue="EasyFAFSAWeb"/>
    </xs: restri cti on>
</xs: si mpl eType>
<xs: si mpl eType name="ReprocessedReasonCodeType">
    <xs: restri cti on base="xs: integer">
        <xs: mi nl ncl usi ve val ue="01"/>
        <xs: maxl ncl usi ve val ue="99"/>
        <xs: total Di gi ts val ue="2"/>
        <xs: fracti onDi gi ts val ue="0"/>
    </xs: restri cti on>
</xs: si mpl eType>
<xs: si mpl eType name="Transacti onSourceCodeType">
    <xs: restri cti on base="xs: string">
        <xs: enumerati on val ue="El ectroni cAppl i cati on"/>
        <xs: enumerati on val ue="El ectroni cCorrecti on"/>

        <xs: enumerati on val ue="FAFSAWeb"/>
        <xs: enumerati on val ue="Spani shWeb"/>
        <xs: enumerati on val ue="Renewal Web"/>
        <xs: enumerati on val ue="Correcti onsWeb"/>
        <xs: enumerati on val ue="EasyFAFSAWeb"/>
        <xs: enumerati on val ue="EasySpani shWeb"/>
        <xs: enumerati on val ue="EasyRenewal Web"/>
        <xs: enumerati on val ue="EasyCorrecti onsWeb"/>

        <xs: enumerati on val ue="FAAAppl i cati onWeb"/>
        <xs: enumerati on val ue="FAARenewal Web"/>
        <xs: enumerati on val ue="FAACorrecti onsWeb"/>
        <xs: enumerati on val ue="Veri fi cati onCorrecti on"/>

        <xs: enumerati on val ue="PaperAppl i cati on"/>
        <xs: enumerati on val ue="PaperAppl i cati onSpani sh"/>
        <xs: enumerati on val ue="PaperRenewal Appl i cati on"/>
        <xs: enumerati on val ue="PaperCorrecti on"/>
        <xs: enumerati on val ue="Correcti onAppl i cati on"/>
        <xs: enumerati on val ue="Correcti onAppl i cati onSpani sh"/>

        <xs: enumerati on val ue="SystemGenerated"/>
        <xs: enumerati on val ue="DHSSecondaryConfi rmati on"/>
        <xs: enumerati on val ue="NSLDSPostScreeni ng"/>
        <xs: enumerati on val ue="Si gnatureRecei ved"/>
        <xs: enumerati on val ue="CustomerServi ce"/>
    </xs: restri cti on>

```

```

FSA_EI_igi_bili_tyDetermination_CC_1.0.1.xsd
</xs: simpleType>
<xs: simpleType name="TransactionProcessedDateType">
    <xs: restriction base="xs:string"/>
</xs: simpleType>
<xs: simpleType name="ElectronicallySchoolPositionType">
    <xs: restriction base="xs:integer">
        <xs: minInclusive value="1"/>
        <xs: maxInclusive value="6"/>
        <xs: totalDigits value="1"/>
        <xs: fractionDigits value="0"/>
    </xs: restriction>
</xs: simpleType>
<xs: simpleType name="ElectronicallySchoolCodeType">
    <xs: restriction base="xs:string"/>
</xs: simpleType>
<xs: simpleType name="eSchoolPositionType">
    <xs: restriction base="xs:integer">
        <xs: minInclusive value="1"/>
        <xs: maxInclusive value="6"/>
        <xs: totalDigits value="1"/>
        <xs: fractionDigits value="0"/>
    </xs: restriction>
</xs: simpleType>
<xs: simpleType name="eDestinationNumberType">
    <xs: restriction base="xs:string">
        <xs: maxLength value="7"/>
    </xs: restriction>
</xs: simpleType>
<xs: complexType name="MultipliedSchoolsType">
    <xs: sequence>
        <xs: element name="School" type="MultipliedSchoolType"
nullable="true" maxOccurs="6"/>
    </xs: sequence>
</xs: complexType>
<xs: complexType name="MultipliedSchoolType">
    <xs: attribute name="Number">
        <xs: simpleType>
            <xs: restriction base="xs:integer">
                <xs: minInclusive value="1"/>
                <xs: maxInclusive value="6"/>
            </xs: restriction>
        </xs: simpleType>
    </xs: attribute>
</xs: complexType>
<xs: simpleType name="BatchYearType">
    <xs: restriction base="xs:gYear"/>
</xs: simpleType>
<xs: simpleType name="ComputeNumberType">
    <xs: restriction base="xs:string"/>
</xs: simpleType>
<xs: simpleType name="VerificationTrackingCodeType">
    <xs: restriction base="xs:string">
        <xs: maxLength value="4"/>
    </xs: restriction>
</xs: simpleType>
<xs: simpleType name="VerificationSelectedCodeType">
    <xs: restriction base="xs:string">
        <xs: enumeration value="Selected"/>
        <xs: enumeration value="NotSelected"/>
        <xs: enumeration value="SubsequentlySelected"/>
    </xs: restriction>
</xs: simpleType>
<xs: simpleType name="DuplicateSSNIdentifierType">
    <xs: restriction base="xs:boolean"/>
</xs: simpleType>
<xs: simpleType name="PersonalIdentifierChangeCodeType">

```

```

FSA_EI i gi bi l i tyDetermi nati on_CC_1. 0. 1. xsd
<xs: restri cti on base="xs: string">
    <xs: enumerati on val ue="SSN"/>
    <xs: enumerati on val ue="LastName"/>
    <xs: enumerati on val ue="SSNAndLastName"/>
</xs: restri cti on>
</xs: si mpl eType>
<xs: si mpl eType name="AddressChangeCodeType">
    <xs: restri cti on base="xs: string">
        <xs: enumerati on val ue="StudentMai l i ng"/>
        <xs: enumerati on val ue="StudentEmail"/>
        <xs: enumerati on val ue="ParentEmail"/>
        <xs: enumerati on val ue="MoreThanOne"/>
    </xs: restri cti on>
</xs: si mpl eType>
<xs: si mpl eType name="SARCchangel ndi catorType">
    <xs: restri cti on base="xs: boolean"/>
</xs: si mpl eType>
<xs: si mpl eType name="DependencyStatusCodeType">
    <xs: restri cti on base="xs: string">
        <xs: enumerati on val ue="Dependent"/>
        <xs: enumerati on val ue="Independent"/>
        <xs: enumerati on val ue="DependentNoEFC"/>
        <xs: enumerati on val ue="IndependentNoEFC"/>
    </xs: restri cti on>
</xs: si mpl eType>
<xs: si mpl eType name="DataRel easeNumberType">
    <xs: restri cti on base="xs: integer"/>
</xs: si mpl eType>
<xs: si mpl eType name="Pel l EI i gi bi l i tyIndi catorType">
    <xs: restri cti on base="xs: boolean"/>
</xs: si mpl eType>
<xs: si mpl eType name="GraduateIndi catorType">
    <xs: restri cti on base="xs: boolean"/>
</xs: si mpl eType>
<xs: si mpl eType name="TaxFi l i ngStatusCodeType">
    <xs: restri cti on base="xs: string">
        <xs: enumerati on val ue="TaxFi l er"/>
        <xs: enumerati on val ue="NonTaxFi l er"/>
    </xs: restri cti on>
</xs: si mpl eType>
<xs: si mpl eType name="Rej ectCodeType">
    <xs: restri cti on base="xs: string"/>
</xs: si mpl eType>
<xs: si mpl eType name="Fi el dNameType">
    <xs: restri cti on base="xs: string">
        <xs: maxLength val ue="50"/>
    </xs: restri cti on>
</xs: si mpl eType>
<xs: si mpl eType name="Fi el dVal ueType">
    <xs: restri cti on base="xs: string">
        <xs: maxLength val ue="50"/>
    </xs: restri cti on>
</xs: si mpl eType>
<xs: si mpl eType name="Veri fyCodeType">
    <xs: restri cti on base="xs: string"/>
</xs: si mpl eType>
<xs: si mpl eType name="Correcti onCodeType">
    <xs: restri cti on base="xs: string"/>
</xs: si mpl eType>
<xs: si mpl eType name="CommentCodeType">
    <xs: restri cti on base="xs: string"/>
</xs: si mpl eType>
<xs: si mpl eType name="EFCVal ueType">
    <xs: restri cti on base="Integer5Di gitType"/>
</xs: si mpl eType>
<xs: si mpl eType name="Formul aTypeCodeType">

```

FSA_EIigiBiLiityDeterminati on_CC_1.0.1.xsd

```

<xs: restriction base="xs:string">
    <xs: enumeration value="Dependent"/>
    <xs: enumeration value="IndependentNoDependents"/>
    <xs: enumeration value="IndependentWithDependents"/>
    <xs: enumeration value="SNTDependent"/>
    <xs: enumeration value="SNTIndependentNoDependents"/>
    <xs: enumeration value="SNTIndependentWithDependents"/>
</xs: restriction>
</xs: simpleType>
<xs: complexType name="AlternateMonthType">
    <xs: simpleContent>
        <xs: extension base="Integer5DigitType">
            <xs: attribute name="Number" type="xs:integer"/>
        </xs: extension>
    </xs: simpleContent>
</xs: complexType>
<xs: simpleType name="TotalIncomeType">
    <xs: restriction base="SignedInteger7DigitType"/>
</xs: simpleType>
<xs: simpleType name="TotalIncomeAllowancesType">
    <xs: restriction base="Integer7DigitType"/>
</xs: simpleType>
<xs: simpleType name="StateTaxAllowanceType">
    <xs: restriction base="SignedInteger7DigitType"/>
</xs: simpleType>
<xs: simpleType name="EmploymentAllowanceType">
    <xs: restriction base="Integer7DigitType"/>
</xs: simpleType>
<xs: simpleType name="IncomeProtectionAllowanceType">
    <xs: restriction base="Integer7DigitType"/>
</xs: simpleType>
<xs: simpleType name="AvailableIncomeType">
    <xs: restriction base="SignedInteger7DigitType"/>
</xs: simpleType>
<xs: simpleType name="AvailableIncomeContributionType">
    <xs: restriction base="SignedInteger7DigitType"/>
</xs: simpleType>
<xs: simpleType name="DictionaryNetWorthType">
    <xs: restriction base="SignedInteger9DigitType"/>
</xs: simpleType>
<xs: simpleType name="NetWorthType">
    <xs: restriction base="Integer9DigitType"/>
</xs: simpleType>
<xs: simpleType name="AssetProtectionAllowanceType">
    <xs: restriction base="Integer9DigitType"/>
</xs: simpleType>
<xs: simpleType name="ParentAssetContributionType">
    <xs: restriction base="SignedInteger7DigitType"/>
</xs: simpleType>
<xs: simpleType name="AdjustedAvailableIncomeType">
    <xs: restriction base="SignedInteger7DigitType"/>
</xs: simpleType>
<xs: simpleType name="TotalStudentContributionType">
    <xs: restriction base="Integer7DigitType"/>
</xs: simpleType>
<xs: simpleType name="TotalParentContributionType">
    <xs: restriction base="Integer7DigitType"/>
</xs: simpleType>
<xs: simpleType name="ParentContributionType">
    <xs: restriction base="Integer7DigitType"/>
</xs: simpleType>
<xs: simpleType name="StudentTotalIncomeType">
    <xs: restriction base="SignedInteger7DigitType"/>
</xs: simpleType>
<xs: simpleType name="StudentIncomeAllowanceType">
    <xs: restriction base="SignedInteger7DigitType"/>

```

```
FSA_EligibilityDetermination_CC_1.0.1.xsd
</xs: simpleType>
<xs: simpleType name="StudentIncomeContributionType">
    <xs: restriction base="Integer7DigitType"/>
</xs: simpleType>
<xs: simpleType name="StudentDisciplinaryNetWorthType">
    <xs: restriction base="SignedInteger7DigitType"/>
</xs: simpleType>
<xs: simpleType name="StudentAssetContributionType">
    <xs: restriction base="SignedInteger7DigitType"/>
</xs: simpleType>
<xs: simpleType name="FISAPTotalIncomeType">
    <xs: restriction base="SignedInteger7DigitType"/>
</xs: simpleType>
<xs: simpleType name="ZeroEFCIndicatorType">
    <xs: restriction base="boolean"/>
</xs: simpleType>
<xs: simpleType name="SimpleFinancialIndicatorType">
    <xs: restriction base="boolean"/>
</xs: simpleType>
<xs: simpleType name="EFCChangeCodeType">
    <xs: restriction base="string">
        <xs: enumeration value="Increased"/>
        <xs: enumeration value="Decreased"/>
    </xs: restriction>
</xs: simpleType>
</xs: schema>
```