

I S I R_1. 0b. xsd

```

<?xml version="1.0" encoding="UTF-8"?>
<!-- edited with XMLSPY v5 rel. 2 U (http://www.xmlspy.com) by Nakia D Leggett
(ProQuire LLC) --&gt;
&lt;xss: schema targetNamespace="http://www.ed.gov/FSA/CPS/2003/I S I R_1. 0b"
xml ns: xs="http://www.w3.org/2001/XMLSchema"
xml ns="http://www.ed.gov/FSA/CPS/2003/I S I R_1. 0b"
elementFormDefault="qualified" attributeFormDefault="unqualified"
version="1.0b"&gt;
&lt;xss: include schemaLocation="FSA_DataTypes_CC_1.0.1.xsd"/&gt;
&lt;xss: include schemaLocation="FSA_ApplicationSubmission_CC_1.0.1.xsd"/&gt;
&lt;xss: include schemaLocation="FSA_ApplicationSubmission_SL_1.0.1.xsd"/&gt;
&lt;xss: include schemaLocation="FSA_EligibilityDetermination_CC_1.0.1.xsd"/&gt;
&lt;xss: include schemaLocation="FSA_EligibilityDetermination_SL_1.0.1.xsd"/&gt;
&lt;xss: include schemaLocation="FSA_FinancialAidHistory_CC_1.0.1.xsd"/&gt;
&lt;xss: include schemaLocation="FSA_FinancialAidHistory_SL_1.0.1.xsd"/&gt;
&lt;xss: element name="CommonRecordI S I R" type="CommonRecordI S I RType"/&gt;
&lt;xss: complexType name="CommonRecordI S I RType"&gt;
&lt;xss: sequence&gt;
&lt;xss: element name="TransmissionData" type="TransmissionDataType"/&gt;
&lt;xss: element name="AwardYear" type="AwardYearType"/&gt;
&lt;xss: element name="TransactionTypeCode"
type="TransactionTypeCodeType"/&gt;
&lt;xss: element name="DocumentSummary" type="DocumentSummaryType"/&gt;
&lt;xss: element ref="Student" maxOccurs="unbounded"/&gt;
&lt;/xss: sequence&gt;
&lt;/xss: complexType&gt;
&lt;xss: complexType name="TransmissionData"&gt;
&lt;xss: sequence&gt;
&lt;xss: element name="DocumentID" type="DocumentIDType"/&gt;
&lt;xss: element name="CreatedDateTime" type="CreatedDateTimeType"/&gt;
&lt;/xss: sequence&gt;
&lt;/xss: complexType&gt;
&lt;xss: simpleType name="DocumentIDType"&gt;
&lt;xss: restriction base="xs:string"&gt;
&lt;xss: maxLength value="23"/&gt;
&lt;/xss: restriction&gt;
&lt;/xss: simpleType&gt;
&lt;xss: simpleType name="CreatedDateTimeType"&gt;
&lt;xss: restriction base="xs:dateTime"/&gt;
&lt;/xss: simpleType&gt;
&lt;xss: simpleType name="AwardYearType"&gt;
&lt;xss: restriction base="xs:gYear"/&gt;
&lt;/xss: simpleType&gt;
&lt;xss: simpleType name="TransactionTypeCodeType"&gt;
&lt;xss: restriction base="xs:string"&gt;
&lt;xss: enumeration value="ElectronicallyApplied"/&gt;
&lt;xss: enumeration value="ElectronicallyCorrected"/&gt;

&lt;xss: enumeration value="FAFSAWeb"/&gt;
&lt;xss: enumeration value="SpanishWeb"/&gt;
&lt;xss: enumeration value="Renewal Web"/&gt;
&lt;xss: enumeration value="CorrectionsWeb"/&gt;
&lt;xss: enumeration value="EasyFAFSAWeb"/&gt;
&lt;xss: enumeration value="EasySpanishWeb"/&gt;
&lt;xss: enumeration value="EasyRenewal Web"/&gt;
&lt;xss: enumeration value="EasyCorrectionsWeb"/&gt;

&lt;xss: enumeration value="FAAAppliedOnWeb"/&gt;
&lt;xss: enumeration value="FAARenewalWeb"/&gt;
&lt;xss: enumeration value="AACorrectionsWeb"/&gt;
&lt;xss: enumeration value="VerificationOnCorrected"/&gt;

&lt;xss: enumeration value="PaperAppliedOn"/&gt;
&lt;xss: enumeration value="PaperAppliedOnSpanish"/&gt;
&lt;xss: enumeration value="PaperRenewalAppliedOn"/&gt;
&lt;xss: enumeration value="PaperCorrectedOn"/&gt;
</pre>

```

I S I R_1. 0b. xsd

```

<xs: enumeration value="Correcti onAppl i cati on"/>
<xs: enumeration value="Correcti onAppl i cati onSpani sh"/>

<xs: enumeration value="SystemGenerated"/>
<xs: enumeration value="DHSSecondaryConfirmati on"/>
<xs: enumeration value="NSLDSPostScreeni ng"/>
<xs: enumeration value="Si gnatureRecei ved"/>
<xs: enumeration value="CustomerServi ce"/>
</xs: restriction>
</xs: si mpl eType>
<xs: si mpl eType name="Total RecordCountType">
    <xs: restriction base="Total CountType"/>
</xs: si mpl eType>
<xs: si mpl eType name="Total CountAcceptedType">
    <xs: restriction base="Total CountType"/>
</xs: si mpl eType>
<xs: si mpl eType name="Total CountInErrorType">
    <xs: restriction base="Total CountType"/>
</xs: si mpl eType>
<xs: si mpl eType name="Total CountOnI NSHol dType">
    <xs: restriction base="Total CountType"/>
</xs: si mpl eType>
<xs: si mpl eType name="Total CountNotOnDatabaseType">
    <xs: restriction base="Total CountType"/>
</xs: si mpl eType>
<xs: compl exType name="DocumentSummaryType">
    <xs: sequence>
        <xs: el ement name="Total Count" type="Total RecordCountType"/>
        <xs: el ement name="Total CountAccepted" type="Total CountAcceptedType" minOccurs="0"/>
        <xs: el ement name="Total CountInError" type="Total CountInErrorType" minOccurs="0"/>
        <xs: el ement name="Total CountOnI NSHol d" type="Total CountOnI NSHol dType" minOccurs="0"/>
        <xs: el ement name="Total CountNotOnDatabase" type="Total CountNotOnDatabaseType" minOccurs="0"/>
    </xs: sequence>
</xs: compl exType>
<xs: compl exType name="IndexType">
    <xs: sequence>
        <xs: el ement name="Ori gi nal SSN" type="SSNTypE"/>
        <xs: el ement name="Ori gi nal NameI D">
            <xs: si mpl eType>
                <xs: restriction base="xs: string">
                    <xs: mi nLength value="2"/>
                    <xs: maxLength value="2"/>
                    <xs: length value="2"/>
                </xs: restriction>
            </xs: si mpl eType>
        </xs: el ement>
        <xs: el ement name="Transacti onNumber">
            <xs: si mpl eType>
                <xs: restriction base="xs: integer">
                    <xs: mi nI ncl usi ve value="00"/>
                    <xs: maxI ncl usi ve value="99"/>
                    <xs: total Di git s value="2"/>
                    <xs: fracti onDi git s value="0"/>
                </xs: restriction>
            </xs: si mpl eType>
        </xs: el ement>
    </xs: sequence>
</xs: compl exType>
<xs: el ement name="Student" type="I S I RStudentType"/>
<xs: compl exType name="I S I RStudentType">
    <xs: sequence>
        <xs: el ement name="Index" type="IndexType"/>

```

I S I R_1.0b.xsd

```

<xs:element name="PersonalIdentifiers"
type="PersonalIdentifiersType">
<xs:element name="Birth" type="BirthType"/>
<xs:element name="Name">
<xs:complexType>
<xs:complexContent>
<xs:restriction base="NameWrapperType">
<xs:sequence>
<xs:element name="FirstName" nullable="true"/>
<xs:element name="FirstInitial" minOccurs="0"
maxOccurs="0"/>
<xs:element name="MiddleInitial" nullable="true"/>
<xs:element name="LastName" nullable="true"/>
</xs:sequence>
</xs:restriction>
</xs:complexContent>
</xs:complexType>
</xs:element>
<xs:element name="Contacts" type="ContactsType"/>
<xs:element name="CitizenshipStatusCode" nullable="true"/>
<xs:element name="AlienRegistrationNumber" minOccurs="0"/>
<xs:element name="MaritalStatus" type="MaritalStatusWrapperType"/>
<xs:element name="ResidencyData" type="ResidencyDataType"/>
<xs:element name="HouseholdData" type="HouseholdDataType"/>
<xs:element ref="SubmissionInformation"/>
<xs:element ref="EligibilityDetermination"/>
<xs:element ref="FinancialAidHistory"/>
</xs:sequence>
</xs:complexType>
<xs:element name="SubmissionInformation"
type="SubmissionInformationType">
<xs:complexType name="SubmissionInformationType">
<xs:sequence>
<xs:element name="AdditionalStudentData"
type="AdditionalStudentDataType"/>
<xs:element name="ParentData" type="ParentDataType"/>
<xs:element name="School" type="NotificationSchoolType"
maxOccurs="6"/>
<xs:element name="AdministrativeData"
type="AdministrativeDataType"/>
<xs:element name="SignatureData" type="SignatureDataType"/>
<xs:element name="Preparer" type="PreparerType"/>
</xs:sequence>
</xs:complexType>
<xs:element name="EligibilityDetermination"
type="EligibilityDeterminationType">
<xs:complexType name="EligibilityDeterminationType">
<xs:sequence>
<xs:element name="DataMatch" type="EligibilityDataMatchType"/>
<xs:element name="RecordTypeData" type="RecordTypeDataType"/>
<xs:element name="AdministrativeInformation"
type="AdministrativeInformationType"/>
<xs:element name="ProcessedApplicationInformation"
type="ProcessedApplicationInformationType"/>
<xs:element name="EFCInformation"
type="EFCInformationType">
<xs:complexType>
<xs:sequence>
<xs:element name="PrimaryEFC" type="PrimaryEFCType"/>
<xs:element name="SecondaryEFC"
type="SecondaryEFCType"/>
<xs:element name="ZeroEFCIndicator"
type="ZeroEFCIndicatorType"/>
<xs:element name="SimpleFileIndicator"
type="SimpleFileIndicatorType"/>
<xs:element name="EFCChangeCode"
type="EFCChangeCodeType"/>

```

```

type="EFCChangeCodeType"/>
    </xs: sequence>
        </xs: compl exType>
            </xs: el ement>
        </xs: sequence>
    </xs: compl exType>
<xs: el ement name="Fi nanci al Ai dHi story" type="Fi nanci al Ai dHi storyType"/>
<xs: compl exType name="Fi nanci al Ai dHi storyType">
    <xs: sequence>
        <xs: el ement name="MatchResul tsCode"
type="NSLDSMatchResul tsCodeType"/>
    <xs: el ement name="NSLDSTransacti onNumber"
type="NSLDSTransacti onNumberType"/>
        <xs: el ement name="Pel I OverpaymentStatus"
type="Pel I OverpaymentStatusType"/>
            <xs: el ement name="SE0GOverpaymentStatus"
type="SE0GOverpaymentStatusType"/>
                <xs: el ement name="Perki nsOverpaymentStatus"
type="Perki nsOverpaymentStatusType"/>
                    <xs: el ement name="LoanStatusData" type="LoanStatusDataType"/>
                    <xs: el ement name="Perki nsSummary" type="Perki nsSummaryType"/>
                    <xs: el ement name="AggregateSubsi di zedSummary"
type="AggregateSubsi di zedSummaryType"/>
                        <xs: el ement name="AggregateUnsubsi di zedSummary"
type="AggregateUnsubsi di zedSummaryType"/>
                            <xs: el ement name="AggregateCombi nedSummary"
type="AggregateCombi nedSummaryType"/>
                                <xs: el ement name="AggregateConsol i datedSummary"
type="AggregateConsol i datedSummaryType"/>
                                    <xs: el ement name="Pel I Data" type="Pel I DataType" maxOccurs="3"/>
                                    <xs: el ement name="LoanData" type="LoanDataType" maxOccurs="6"/>
                            </xs: sequence>
                        </xs: compl exType>
                    </xs: schema>

```